

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claims 1-38 (canceled).

Add Claims 38-72.

39. (New) A system for network-based uploading of drivers for document processing devices comprising:

means adapted for selectively receiving into a memory associated with a document processing controller, software drivers for use with associated workstations in data communication with a document processing device means associated with the controller;

graphical user interface generation means including means adapted for generating a graphical user interface on the associated workstations, which graphical user interface includes data representative of at least one available software driver stored in the memory;

input means adapted for receiving user input, via the graphical user interface, which user input directs loading of the at least one software driver to a storage area on the associated workstation; and

means adapted for commencing a transfer of the at least one software driver to the storage area.

40. (New) The system for network-based uploading of drivers for document processing devices of claim 39 wherein :

the graphical user generation means further includes means adapted for generating a graphical user interface on the associated workstations, which graphical user interface includes data representative of an alternative software driver to the at least one available software driver, which alternative software driver is stored in the memory; and

the input means includes means adapted for receiving user input, via the graphical user interface, which user inputs directs loading of the alternative software driver to a storage area on the associated workstation.

41. (New) The system for network-based uploading of drivers for document processing devices of claim 40 wherein the alternative software driver is one that was previously loaded on the software workstation so as to facilitate selective rollback to an earlier driver version.

42 (New) The system for network-based uploading of drivers for document processing devices of claim 39 further comprising means adapted for initiating generation of the user interface upon a loading of the at least one available software driver into the memory associated with the document processing controller.

43. (New) The system for network-based uploading of drivers for document processing devices of claim 39, wherein the document processing device includes a printing device, and wherein the software driver is comprised of a printer driver.

44. (New) The system for network-based uploading of drivers for document processing devices of claim 43, wherein the storage area includes at least one of a hard disk and non-volatile memory in data communication with the printing device.

45. (New) The system for network-based uploading of drivers for document processing devices of claim 43 wherein the means adapted for commencing transfer of the at least one software driver to the storage area includes means adapted for commencing transfer automatically once the user directs loading of the at least one software driver to the associated storage area.

46. (New) The system for network-based uploading of drivers for document processing devices of claim 43, wherein the means adapted for commencing transfer of the at least one software driver to the storage area includes means adapted for receiving user input to commence transfer once the user directs loading of the at least one software driver to the associated storage area.

47. (New) A method for network-based uploading of drivers for document processing devices comprising the steps of:

selectively receiving into a memory associated with a document processing controller, software drivers for use with associated workstations in data communication with a document processing device means associated with the controller;

generating a graphical user interface, which graphical user interface includes data representative of at least one available software driver corresponding to at least one document processing device;

receiving user input, via the graphical user interface, which user input directs loading of the at least one software driver to a storage area associated with a document processing operation function of the at least one document processing device; and

commencing a transfer of the at least one software driver to the storage area.

48. (New) The method for network-based uploading of drivers for document processing devices of claim 47 further comprising :

generating a graphical user interface on the associated workstations, which graphical user interface includes data representative of an alternative software driver to the at least one available software driver, which alternative software driver is stored in the memory; and

receiving user input, via the graphical user interface, which user inputs directs loading of the alternative software driver to a storage area on the associated workstation.

49. (New) The method for network-based uploading of drivers for document processing devices of claim 48 wherein the alternative software driver is one that was previously loaded on the software workstation so as to facilitate selective rollback to an earlier driver version.

50. (New) The method for network-based uploading of drivers for document processing devices of claim 47 further comprising the step of initiating generation of the user interface upon a loading of the at least one available software driver into the memory associated with the document processing controller.

51. (New) The method for network-based uploading of drivers for document processing devices of claim 47, wherein the document processing device includes a printer, and wherein the software driver is comprised of a printer driver.

52. (New) The method for network-based uploading of drivers for document processing devices of claim 51, wherein the storage area includes a hard disk in data communication with the printer.

53. (New) The method for network-based uploading of drivers for document processing devices of claim 47, wherein the step of commencing transfer of the at least one software driver to the storage area is initiated automatically once the user directs loading of the at least one software driver to the associated storage area.

54. (New) The method for network-based uploading of drivers for document processing devices of claim 47, wherein the step of commencing transfer of the at least one software driver to the storage area is initiated upon receipt of user input to commence transfer once the user directs loading of the at least one software driver to the associated storage area.

55. (New) A system for providing device software from a network, wherein the network comprises at least one client machine and at least one network peripheral device in data communication, comprising:

means adapted for transmitting communications between the at least one client machine and the at least one network peripheral device;

graphical user interface generation means including means adapted for generating a graphical user interface, which graphical user interface includes data representative of available device software;

input means adapted for receiving user input from a user associated with the at least one client machine, via the graphical user interface, which user input directs loading of at least one component of the device software; and

means adapted for downloading the at least one selected component of the device software from the at least one network peripheral to the client machine.

56. (New) The system for providing device software from a network of claim 55 wherein:

the graphical user generation means further includes means adapted for generating a graphical user interface on the associated workstations, which graphical user interface includes data representative of an alternative component of the device software to the at least one component of the available device software; and

the input means includes means adapted for receiving user input, via the graphical user interface, which user inputs directs loading of the alternative component.

57. (New) The system for providing device software from a network of claim 56 wherein the alternative component is one that was previously loaded so as to facilitate selective rollback to an earlier version.

58. (New) The system for network-based uploading of drivers for document processing devices of claim 55 further comprising means adapted for initiating generation of the user interface upon a loading of the at least one component.

59. (New) The system for providing device software from a network of claim 55, wherein the at least one network peripheral is a document processing device, and wherein the at least one selected component which is downloaded includes a driver for the document processing device.

60. (New) The system for providing device software from a network of claim 55, wherein the storage area includes a hard disk in data communication with the printer.

61. (New) The system for providing device software from a network of claim 55, wherein a storage area is associated with the document processing device.

62. (New) The system for from a network of claim 55, wherein means adapted for downloading the at least one selected component of the device software includes means adapted for automatically commencing the downloading once the user selects the at least one component.

63. (New) The system for from a network of claim 55, wherein the means adapted for receiving user input includes means adapted for receiving user input to commence downloading the at least one selected component of the device software.

64. (New) A method for providing device software from a network, wherein the network comprises at least one client machine and at least one network peripheral device in data communication, comprising the steps of:

transmitting communications between at least one client machine and at least one network peripheral device;

generating a graphical user interface, which graphical user interface includes data representative of available device software;

receiving user input from a user associated with the at least one client machine, via the graphical user interface, which user input directs loading of at least one component of the device software; and

downloading the at least one selected component of the device software from the at least one network peripheral to the client machine.

65. (New) The method for providing device software from a network of claim 64 further comprising the steps of :

generating a graphical user interface on the associated workstations, which graphical user interface includes data representative of an alternative component of the device software to the at least one component of the available device software; and

receiving user input, via the graphical user interface, which user inputs directs loading of the alternative component.

66. (New) The method for providing device software from a network of claim 65 wherein the alternative component is one that was previously loaded so as to facilitate selective rollback to an earlier version.

67. (New) The method for network-based uploading of drivers for document processing devices of claim 64 further comprising the step of initiating generation of the user interface upon a loading of the at least one component.

68. (New) The method for providing device software from a network of claim 64, wherein the at least one network peripheral is a document processing device, and wherein the at least one selected component which is downloaded includes a driver for the document processing device.

69. (New) The method for providing device software from a network of claim 64, wherein the storage area includes a hard disk in data communication with the printer.

70. (New) The method for providing device software from a network of claim 69, wherein a storage area is associated with the document processing device.

71. (New) The method for from a network of claim 64, wherein the step of downloading the at least one selected component of the device software is automatically initiated once the user selects the at least one component.

72. (New) The method for from a network of claim 64, wherein the step of downloading the at least one selected component of the device software is initiated upon receipt of user input to commence the downloading step.